



AMERICAN BEARING MFG.CORP.



65 mm x 100 mm x 11 mm Cylindrical Roller Bearing NU2213

Bearing No. 16013

16013 Bearing 2D drawings and 3D CAD models

Size	65x100x11 mm
Bore Diameter	65 mm
Outer Diameter	100 mm
Width	11 mm
d	65 mm
D	100 mm
B	11 mm
C	11 mm
r min.	0,6 mm
da min.	69 mm
Da max.	96 mm
ra max.	0,6 mm
Weight	0,3 Kg
Basic dynamic load rating (C)	17,1 kN
Basic static load rating (C0)	16 kN
(Grease) Lubrication Speed	6600 r/min
(Oil) Lubrication Speed	7800 r/min
Category	Single Row Ball Bearings
Inventory	0.0
Manufacturer Name	KOYO
Minimum Buy Quantity	N/A
Weight / Kilogram	0
Product Group	B00308
Enclosure	Open
Precision Class	ABEC 1 ISO P0



AMERICAN BEARING MFG.CORP.

Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Internal Clearance	C0-Medium
Inch - Metric	Metric
Long Description	65MM Bore; 100MM Outside Diameter; 11MM Outer Race Width; Open; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features; C0-Medium Internal Clearance; Steel Cage
Other Features	Deep Groove
Category	Single Row Ball Bearing
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer URL	http://www.koyousa.com
Weight / LBS	0.66139
Inner Race Width	0 Inch 0 Millimeter
Outer Race Width	0.433 Inch 11 Millimeter
Bore	2.559 Inch 65 Millimeter
Outside Diameter	3.937 Inch 100 Millimeter
Bearing No.	16013
r(min)	0.6
Cr	21.4
C0r	16.0
Cu	0.830
f0	16.5



AMERICAN BEARING MFG.CORP.

Grease lub.	6600
Oil lub.	7800
da(min)	69
Da(max)	96
ra(max)	0.6
(Refer.)Mass(kg)	0.300